

Technical Handbook
for
Radio Monitoring
HF

Volume I

Edition 2026



EACH SIGNAL IS INFORMATION

Dipl.- Ing. Roland Proesch

Technical Handbook for Radio Monitoring HF

Volume I

Edition 2026

**Description of modulation techniques
and waveforms**

Bibliografische Information der Deutschen Nationalbibliothek: Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über dnb.dnb.de abrufbar.

Die automatisierte Analyse des Werkes, um daraus Informationen insbesondere über Muster, Trends und Korrelationen gemäß §44b UrhG („Text und Data Mining“) zu gewinnen, ist untersagt.

© 2026 Dipl.- Ing. Roland Proesch

Email: roland@proesch.net

Verlag: BoD · Books on Demand GmbH, Überseering 33, 22297 Hamburg, bod@bod.de

Druck: Libri Plureos GmbH, Friedensallee 273, 22763 Hamburg

Cover design: Anne Proesch

Printed in Germany

Web page: www.frequencymanager.de

ISBN: 978-3-8192-4331-8

Acknowledgement:

Thanks for those persons who have supported me in the preparation of this book:

Aikaterini Daskalaki-Proesch
Vaino Lehtoranta
Mike Chase
ANgazu
Rapidbit
Antonio

Disclaimer:

The contents of this book have been compiled over many years. The research in this sensitive field is generally difficult as there are not many open sources to get information from. Although I have tried to verify the contents from different sources there might nevertheless be mistakes. Please do not hesitate to contact me if you discover any wrong description.

Content volume I

LIST OF PICTURES	17
LIST OF TABLES	29
GENERAL	33
DESCRIPTION OF WAVEFORMS	35
1.1 Analogue Waveforms	35
Amplitude Modulation (AM)	35
Double Sideband reduced Carrier (DSB-RC)	36
Double Sideband suppressed Carrier (DSB-SC)	36
Single Sideband full Carrier	37
Single Sideband reduced Carrier (SSB-RC)	38
Single Sideband suppressed Carrier (SSB-SC)	38
Single Sideband Modulation (SSB)	38
Independent Sideband Modulation (ISB)	39
Vestigial Sideband Modulation (VSB)	40
Frequency Modulation (FM)	40
Wide Frequency Modulation (WFM)	41
Pre-emphasis and de-emphasis	43
1.2 Digital Waveforms	43
Amplitude Shift Keying (ASK)	43
On-Off-Keying (OOK)	44
Frequency Shift Keying (FSK)	45
Continuous Phase Frequency Shift Keying (CPFSK)	45
Double Frequency Shift Keying (DPSK)	47
Constant Envelope 4-Level Frequency Modulation (C4FM)	47
Minimum Shift Keying (MSK)	49
Tamed Frequency modulation (TFM)	49
Gaussian Minimum Shift Keying (GMSK)	51
Multi Frequency Shift Keying (MFSK)	51
Phase Shift Keying (PSK)	52
Binary Phase Shift Keying (BPSK)	52
Quadrature Phase Shift Keying (QPSK)	54
Offset Quadrature Phase Shift Keying (OQPSK)	56
Staggered Quadrature Phase Shift Keying (SQPSK)	57
Compatible/Continuous Quadrature Phase Shift Keying (CQPSK)	57
Coherent Phase Shift Keying (CPSK)	57
Differential Coherent Phase Shift Keying (DCPSK)	57
8PSK Modulation	57
Differential Phase Shift Keying (DPSK)	59
Differential Binary Phase Shift Keying (DBPSK)	60
Differential Quadrature Phase Shift Keying (DQPSK)	62
Differential 8 Phase Shift Keying (D8PSK)	64

Quadrature Amplitude Modulation (QAM)	66
Amplitude Phase Shift Keying (APSK)	70
Some exceptions from the rule of thumb for APSK and QAM	71
Orthogonal Frequency Division Multiplexing (OFDM)	72
Frequency Modulation Continuous Wave (FMCW)	73
Frequency Modulation on Pulse (FMOP)	75
Interrupted Linear Frequency Modulation (ILFM)	76
Spread Spectrum (SS)	78
Chirp Spread Spectrum (CSS)	78
Direct Sequence Spread Spectrum (DSSS)	81
Frequency Hopping Spread Spectrum (FHSS)	82
Incremental Frequency Keying (IFK)	82
Analogue Pulse Modulation	83
Pulse Amplitude Modulation (PAM)	83
Pulse Width Modulation (PWM)	83
Pulse Position Modulation (PPM)	83
Digital Pulse Modulation	84
Pulse Code Modulation (PCM)	84
Delta Modulation	84
1.3 Description of modulation states	86
Asynchronous Data Transmission	86
Synchronous Data Transmission	86
Simplex	87
Duplex	87
Half duplex	87
Semi duplex	87
1.4 Baud Rate, Bit Rate, Symbol Rate	88
Bit rate	88
Symbol rate	88
Baud rate	88
Relation between datarate and bit length	88
1.5 Data formats	89
NRZ (Non Return to Zero)	91
NRZ (S) (Non Return to Zero - Space)	91
NRZ (M) (Non Return to Zero - Mark)	91
Bi- Φ -L (Biphase Level)	91
Bi- Φ -S (Biphase Space)	91
Bi- Φ -M (Biphase Mark)	91
1.6 Coding	92
Code	92
Codes in communication used for brevity	92
An example: the ASCII code	92
Interleaving in error-correction coding	92
Interleaving examples	93
Codes to detect or correct errors	94
Error-correcting code (ECC)	94
Forward Error Correction (FEC)	94

Convolutional code	95
Viterbi algorithm	96
Reed-Solomon error correction	96
Overview of the method	96
Properties of Reed-Solomon codes	97
Use of Reed-Solomon codes in optical and magnetic storage	97
Timeline of Reed-Solomon development	98
Satellite technique: Reed-Solomon + Viterbi coding	98
Turbo code	98
Shannon-Hartley theorem	98
Theorem	99
Examples	100
1.7 Used code tables	101
Morse Code	101
Japanese Morse Code	102
Russian Morse Code	103
ITA2, ITA2P and ITA3(CCIR342-2)	104
ITA 2	104
ITA 2 P	104
ITA 3	104
Chinese Telegraph Code	107
CCIR476, HNG-FEC, PICCOLO MK VI	108
CCIR 476	108
CCIR 493	113
Varicode	115
1.8 Channel access methods	117
Frequency-division multiple access (FDMA)	117
Time division multiple access (TDMA)	117
Code division multiple access (CDMA)	118
Orthogonal Frequency multiple access (OFDMA)	118
1.9 The OSI Reference Model	119
The Physical Layer	119
The Data Link Layer	120
The Network Layer	120
The Transport Layer	121
The Session Layer	122
The Presentation Layer	122
The Application Layer	122
1.10 Protocols	123
Automatic repeat ReQuest Protocol (ARQ protocol)	123
Pure Stop and Wait ARQ	123
Go Back N ARQ	124
Selective Repeat ARQ	124
Polling	124
ACP127	125
STANAG 4406 Messaging	125
STANAG 5066	126

X.25	127
RSX.25	132
Automatic Link Establishment (ALE)	132
Codan Automated Link Management (CALM)	135
1.11 Designation of Emissions	136
Determination of Necessary Bandwidths	140
1.12 Table of system and user sorted by Baud rate	149
General Information	171
Spectrum	171
Sonagram	171
Oscilloscope	171
Analysis Display	171
Phase Spectrum	171
Phase Constellation	172
Phase Plane	172
Speed Bit Analysis	172
Bit Correlation, Autocorrelation Function (ACF)	172
AFS Navy FSK	173
ALE 2G	174
ALE 3G	174
ALE 4G	174
ALE400	174
ALG MIL Bell103 Modem	175
ALIS	178
ALIS 2	179
AM HDRadio	180
AM hybrid mode MA1	180
AM all digital MA3 core-only	182
AM all digital MA3 enhanced	183
APRS	184
ARDOP	185
ARDOP 2	186
ARD9800 OFDM 36ch Modem	186
ARQ-E	187
ARQ-E3	187
ARQ-M2	188
ARQ-M4	188
ARQ-S	189
ARQ-SWE	190
ARQ 6-70S	191
ARQ 6-90/98	191
ASCII	192
AUM-13	192
AUS MIL ISB Modem	193
AUTOSPEC	194
Baudot ITA No.2	195
Baudot Code	197
Murray Code	197

Western Union Code	197
ITA2 Code	197
Baudot-ARQ System	198
Baudot F7B	198
Baudot Sync	199
BEE	199
BR 6028	200
BR 6029C Time Diversity Modem	201
BUL 107.53 Bd	202
BUL ASCII	202
CCIR 493-4 SELCALL	204
CHN ARQ Modem	205
CHN Broadcast Jammer	207
CHN MIL 4FSK	208
CHN MIL 8FSK 83.6 Bd	210
CHN MIL 8FSK 100 Bd	210
CHN MIL 8PSK Modem 1627 Bd	212
CHN MIL 8PSK Modem 2400 Bd	213
CHN MIL 64FSK	214
CHN MIL Datalink 30 tone	216
CHN MIL Datalink 39 tone	218
CHN MIL Hybrid Modem (4FSK-OFDM20)	219
CHN MIL Hybrid Modem (4FSK-8FSK-OFDM19)	220
CHN MIL Hybrid Modem (8FSK-PSK)	222
CHN 4+4 Modem	223
CHIP 64/128	224
CIS 11	225
CIS 12	227
CIS 12 ARQ	228
CIS 14	228
CIS 150 Bd SELCAL	229
CIS 16x75 Bd	230
CIS 36-50	231
CIS 405-3915	232
CIS 50-17 Baudot	233
CIS 50-50	234
CIS 81-29	235
CIS 81-81	236
CIS 150/300-500	236
CIS 200-1000	237
CIS 300-500	238
CIS 640 Bd MSK Modem	240
CIS 1200 Bd BPSK Modem	241
CIS 1280 Bd MSK Modem	243
CIS 1280 Bd PSK Modem	244
CIS 2560 Bd MSK Modem	245
CIS 3000 Bd Modem	246
CIS 4FSK 96 Bd	248
CIS 4FSK 100 Bd	249
CIS 4FSK 150 Bd	250
CIS 7FSK 200 Bd	251
CIS 7FSK 300 Bd	252

CIS Akula 500/1000	252
CIS Akula II	254
CIS Akula 250/500	254
CIS Akula 50/500	255
CIS Akula 100/1000	255
CIS Akula BPSK FSK	255
CIS Akula Wideband	256
CIS-ARQ	257
CIS AT-3004 Modem	259
CIS Barnaul-T	259
CIS BPSK	260
CIS Hybrid Modem DBPSK and MFSK 16	262
CIS MFSK 1 + 12	264
CIS MFSK 1 + 10 + 1	265
CIS MFSK-11 125 Bd	266
CIS MFSK-12 10 Bd	268
CIS MFSK 12 + 1	269
CIS MFSK-14	270
CIS MFSK-16	272
CIS MFSK-17	273
CIS MFSK-17 wideband	275
CIS MFSK-20	276
CIS MFSK-36	277
CIS MFSK-36 Selective Calling	278
CIS MFSK-64	279
CIS MFSK-68	282
CIS OFDM 35/45/60/93/112/121/128 Channel	284
35 tone OFDM	284
45 tone OFDM variant 1	284
45 tone OFDM variant 2	285
45 tone OFDM variant 3	285
45 tone OFDM variant 4	285
60 tone OFDM variant 1	285
60 tone OFDM variant 2	286
93 tone OFDM	286
112 tone OFDM	287
121 tone OFDM	287
128 tone OFDM	288
160 tone OFDM	288
CIS QPSK 2 x 62.5 Bd	289
CIS VFT 3 Channels 100 Bd	290
CIS VFT 3 Channels 144 Bd	291
Clansman FSK Modem	291
Clover	292
Clover II	294
Clover 2000	295
Error-Correction Coding	296
Selective ARQ Repeat	296
Signal Format	296
Modulation Formats	297
Data Modes	297
Data Throughput (Bps)	297

Clover 2500	297
Coachwhip	299
CODAN	299
CODAN 4 Channel mode	300
CODAN 8 Channel Mode	300
CODAN 12 Channel Mode	301
CODAN 3212 Mil Modem	302
CODAN Chirp mode	304
CODAN Selcall	305
Contestia	305
Coquelet 8	307
Coquelet 8 FEC	308
Coquelet 100	309
Coquelet 13	309
CROWD 36	310
CW-F1B	311
D AF VFT	311
DGPS	312
TX numbers	313
Message types	313
Type 3 Message	313
Type 5 Message	313
Type 7 Message	313
Type 9 Message	313
Type 9-3 Message	314
Type 9-1 Message	314
Type 16 Message	315
DGPS Message Scheduling	315
Type 3 Message	315
Type 5 Message	315
Type 7 Message	316
Type 9 Message	316
Type 16 Message	316
DominoF	316
DominoEX	317
DPRK ARQ 600 Bd	318
DPRK ARQ 1200 Bd	320
DPRK FSK 600 FEC	321
DPRK BPSK Modem	321
DPRK 150 Bd BPSK	322
DPRK 300 Bd BPSK	322
DPRK 600 Bd BPSK	322
DPRK 1200 Bd BPSK	323
DUP-ARQ	323
DUP-ARQ II	325
DUP-FEC II	325
DRM	325
Stream Multiplexer	327
Fast Access Channel (FAC)	327
Service Description Channel (SDC)	327
Main Service Channel (MSC)	327
Transmission Frame	328

MPEG-4	328
Advanced Audio Encoding (AAC)	328
MPEG CELP	329
Harmonic Vector Excitation Coding	329
Multilevel Coding	329
DRM – WinDRM	330
ECHOTEL 1810 HF Modem	331
ECHOTEL 1820 HF Modem	332
EZ-Pix	334
F7B-195.3 Bd 4-Tone	336
Fax	336
Fax 3G	340
FDMDV	344
FreeDV	345
FEC-A	346
FT4	347
FT8	348
F Navy FSK	350
G-TOR	350
Globe Wireless Pactor	352
Globe Wireless Single Tone Modem	353
Globe Wireless Multi Tone Modem	354
Globe Wireless OFDM with 12 carriers	354
Globe Wireless OFDM with 24 carriers	355
Globe Wireless OFDM with 32 carriers	355
GRC MIL FSK	355
GMDSS-DSC HF	356
G MIL FSK 800-850	358
GWEN	359
Harris Analogue Voice Security (AVS)	360
Harris Autolink-I	361
Harris WBALE	362
HC-ARQ	363
HDSSTV	363
HELL	364
F-Hell, Press-Hell	364
Feld-Hell	364
GL-Hell	365
Hell-80	366
PC-Hell	366
PSK-Hell and FM-Hell	366
FSK-Hell	367
Duplo-Hell	368
Sequential Multi-Tone Hell	368
Concurrent Multi-Tone Hell	369
Slow-Feld	369
HFDVL73	369
HFDL	370
HF Pager	374
HF Trading	376
HNG-FEC	379
ICAO Selcal	379

IRA-ARQ	381
IRN Navy 16 x 75 Bd	382
IRN Navy QPSK 207 Bd	383
IRN Navy Adaptive Modem V1	385
IRN Navy Adaptive Modem V2	387
ISR N Hybrid Modem	387
 ABBREVIATIONS	 389
 INDEX	 397

List of Pictures

Picture 1: Different AM waveforms.....	35
Picture 2: Spectrum and sonagram of an amplitude modulation	36
Picture 3: Spectrum of a double sideband suppressed carrier signal.....	37
Picture 4: Spectrum and sonagram of a single sideband modulation with full carrier	37
Picture 5: Spectrum and sonagram of a single sideband modulation with reduced carrier	38
Picture 6: Spectrum of a single sideband modulation.....	39
Picture 7: Spectrum of an independent modulated signal	39
Picture 8: Frequency Modulation	40
Picture 9: Spectrum and sonagram of a frequency modulation	41
Picture 10: Spectrum of a wide FM broadcast transmitter	41
Picture 11: Audio channels of a broadcast signal	42
Picture 12: Spectrum of FM stereo signal with sub-channels.....	42
Picture 13: Amplitude Shift Keying (ASK)	43
Picture 14: Spectrum of an ASK with 100 Bd.....	44
Picture 15: On-Off-Keying OOK.....	44
Picture 16: Oscilloscope display of an OOK	44
Picture 17: Frequency Shift Keying (FSK)	45
Picture 18: Spectrum of an FSK	45
Picture 19: Comparison phase discontinuous and phase continuous FSK	46
Picture 20: Spectrum of a CPFSK with 100 Bd	46
Picture 21: Spectrum of a DFSK.....	47
Picture 22: IQ Plot of C4FM	48
Picture 23: Sonagram and spectrum of C4FM in idle mode	48
Picture 24: Minimum Shift Keying.....	49
Picture 25: Phase behaviour of a TFM5.....	50
Picture 26: Spectrum of a Tamed Frequency Modulation (TFM 3) with 1180 Bd.....	50
Picture 27: Oscilloscope display of a TFM	50
Picture 28: Spectrum of a MFSK with 12 tones	51
Picture 29: Phase shift Keying	52
Picture 30: BPSK-A.....	52
Picture 31: Phase constellation of a BPSK.....	53
Picture 32: Spectrum of a BPSK with 600 Bd	53
Picture 33: Analysis display of a BPSK	53
Picture 33: QPSK-A	54
Picture 34: Spectrum of a QPSK with 600 Bd	54
Picture 35: Phase constellation of a QPSK	55
Picture 36: Phase constellation of a QPSK with lines	55
Picture 37: Analysis display of a QPSK.....	56
Picture 38: Phase plane of an OQPSK (right) compared to QPSK (left)	56
Picture 39: Phase constellation of a 8PSK	58
Picture 40: Phase constellation of a 8PSK with lines.....	58
Picture 41: Analysis display of a 8PSK	59

Picture 42: Spectrum of an 8PSK with 600 Bd.....	59
Picture 43: Phase constellation of a DBPSK-A.....	60
Picture 44: Phase constellation of a DBPSK-B.....	61
Picture 45: Phase constellation of a DBPSK-B with lines.....	61
Picture 46: Analyse display of a DQPSK	62
Picture 47: Phase constellation of a DQPSK-A	63
Picture 48: Phase Constellation of a DQPSK-B	63
Picture 49: Phase constellation of a DQPSK-B with lines	64
Picture 50: Phase Constellation of a D8PSK-A.....	65
Picture 51: Phase Constellation of a D8PSK-B.....	66
Picture 52: Phase constellation of a D8PSK-B with lines.....	66
Picture 53: Example of a 4QAM constellation	67
Picture 54: Example of two different 8QAM constellations.....	68
Picture 55: Example of two different 16QAM constellations.....	68
Picture 56: Example of a 32QAM constellation	69
Picture 57: Spectrum of a 8QAM with 600 Bd	69
Picture 58: Spectrum of a 16QAM with 600 Bd	69
Picture 59: Constellation of a 16 ASPK.....	70
Picture 60: Constellation 32 APSK.....	71
Picture 61: Constellation 16QAM in a MIL 188-110D	71
Picture 62: Constellation 32QAM in a LINK22.....	72
Picture 63: Comparison of FDM and OFDM.....	73
Picture 64: Spectrum of OFDM with 45 channels	73
Picture 65: Frequency Modulation Continuous Wave	74
Picture 66: Spectrum of a FMCW used for an OTHR.....	74
Picture 67: FMCW sweep	75
Picture 68: FMOP sweep	75
Picture 69: Oscilloscope display of a FMOP	76
Picture 70: Sonagram of a CODAR.....	76
Picture 71: CODAR signal with small gaps	77
Picture 72: Oscilloscope display of the FMCW of a CODAR.....	77
Picture 73: Zoom of the oscilloscope display of a CODAR.....	77
Picture 71: CSS up chirp	78
Picture 72: CSS down chirp.....	79
Picture 73: CSS unmodulated carrier	79
Picture 74: CSS modulated carrier	80
Picture 75: CSS spreading factor over time.....	80
Picture 76: CSS signal (example LoRa)	81
Picture 77: Function of DSSS.....	81
Picture 78: Function of FHSS.....	82
Picture 79: Different types of amplitude modulation	83
Picture 80: Quantization in a PCM.....	84
Picture 81: Delta Modulation.....	85
Picture 82: Common data formats.....	90

<i>Picture 83: Japanese Wabun Code part I</i>	<i>102</i>
<i>Picture 84: Japanese Wabun Code part II</i>	<i>102</i>
<i>Picture 85: Russian Morse Code</i>	<i>103</i>
<i>Picture 86: Chinese translation</i>	<i>107</i>
<i>Picture 87: Principle of FDMA.....</i>	<i>117</i>
<i>Picture 88: Principle of TDMA</i>	<i>117</i>
<i>Picture 89: Principle of OFDMA</i>	<i>118</i>
<i>Picture 90: The OSI reference model</i>	<i>119</i>
<i>Picture 91: Basic elements of the ARQ protocol.....</i>	<i>123</i>
<i>Picture 92: ARQ stop and wait</i>	<i>123</i>
<i>Picture 93: Go Back N method</i>	<i>124</i>
<i>Picture 94: Selective repeat ARQ method</i>	<i>124</i>
<i>Picture 95: STANAG 5066 layers.....</i>	<i>126</i>
<i>Picture 96: Spectrum of an AFS Navy FSK</i>	<i>173</i>
<i>Picture 97: ACF of the AFS Navy FSK</i>	<i>173</i>
<i>Picture 98: Hell display of a AFS navy FSK.....</i>	<i>173</i>
<i>Picture 102: Spectrum of ALE400</i>	<i>175</i>
<i>Picture 103: Expanded spectrum of ALE400.....</i>	<i>175</i>
<i>Picture 104: Bell103 standard</i>	<i>176</i>
<i>Picture 105: Sonagram of the ALG MIL Bell103 modem</i>	<i>176</i>
<i>Picture 106: ALG MIL BELL103 modem with 75 Bd</i>	<i>177</i>
<i>Picture 107: ALG MIL BELL103 modem with 300 Bd</i>	<i>177</i>
<i>Picture 108: Spectrum of an ALIS signal.....</i>	<i>178</i>
<i>Picture 109: Sonagram ALIS link setup procedure.....</i>	<i>179</i>
<i>Picture 110: Spectrum of ALIS 2</i>	<i>179</i>
<i>Picture 111: Spectrum and waterfall of an AM HD radio mode MA1</i>	<i>180</i>
<i>Picture 112: Frequency diagram of an AM HD radio mode MA1</i>	<i>181</i>
<i>Picture 113: Frequency diagram of an AM HD radio mode MA1 5 kHz configuration</i>	<i>181</i>
<i>Picture 114: Frequency diagram of an AM HD radio mode MA1 8 kHz configuration</i>	<i>182</i>
<i>Picture 115: Spectrum and waterfall AM HD radio mode MA3 core-only</i>	<i>182</i>
<i>Picture 116: Frequency diagram of an AM HD radio mode MA3 core-only</i>	<i>183</i>
<i>Picture 117: Frequency diagram of an AM HD radio mode MA3 enhanced</i>	<i>183</i>
<i>Picture 118: Spectrum and waterfall AM HD radio mode MA3 enhanced</i>	<i>184</i>
<i>Picture 119: APRS structure.....</i>	<i>185</i>
<i>Picture 120: APRS signal with synchronisation</i>	<i>185</i>
<i>Picture 121: APRS mode FSK 300 Bd 200 Hz Shift</i>	<i>185</i>
<i>Picture 122: Spectrum of ARD9800-OFDM.....</i>	<i>187</i>
<i>Picture 123: Spectrum of an ARQ-E signal with 288 Bd</i>	<i>187</i>
<i>Picture 124: Spectrum of ARQ-E3 in idle mode</i>	<i>188</i>
<i>Picture 125: Typical spectrum of an ARQ-M4</i>	<i>189</i>
<i>Picture 126: Spectrum of ARQ-SWE</i>	<i>191</i>
<i>Picture 127: Spectrum of an ARQ 6-90.....</i>	<i>192</i>
<i>Picture 128: Oscilloscope display of ARQ 6-90</i>	<i>192</i>
<i>Picture 129: Spectrum of AUM 13 signal</i>	<i>193</i>

<i>Picture 130: Spectrum of the AUS MIL ISB modem with both waveforms.....</i>	<i>193</i>
<i>Picture 131: Spectrum of the 50 Bd waveform</i>	<i>194</i>
<i>Picture 132: Spectrum of the 600 Bd waveform</i>	<i>194</i>
<i>Picture 133: Spectrum of AUTOSPEC with 75 Bd</i>	<i>194</i>
<i>Picture 134: AUTOSPEC – Signal Structure.....</i>	<i>195</i>
<i>Picture 135: Spectrum of a 150 Bd Baudot signal.....</i>	<i>195</i>
<i>Picture 136: Baudot signal in the oscilloscope display.....</i>	<i>196</i>
<i>Picture 137: Bit correlation of a Baudot signal</i>	<i>196</i>
<i>Picture 138: Hell display of a Baudot signal.....</i>	<i>196</i>
<i>Picture 139: Spectrum of the Russian Baudot-ARQ system</i>	<i>198</i>
<i>Picture 140: Spectrum of Baudot F7B with 50 Bd</i>	<i>198</i>
<i>Picture 141: Spectrum of Baudot Sync.....</i>	<i>199</i>
<i>Picture 142: Baudot sync display speed in relation to bit</i>	<i>199</i>
<i>Picture 143: Spectrum of a CIS 36-50 signal</i>	<i>200</i>
<i>Picture 144: CIS 36-50 message format.....</i>	<i>200</i>
<i>Picture 145: Spectrum of a BR6028 signal.....</i>	<i>201</i>
<i>Picture 146: Spectrum of BUL 107.53 Bd</i>	<i>202</i>
<i>Picture 147: Spectrum and sonagram of a BUL ASCII signal.....</i>	<i>203</i>
<i>Picture 145: ACF of a BUL ASCII modem</i>	<i>203</i>
<i>Picture 146: Hell display of a BUL ASCII modem</i>	<i>204</i>
<i>Picture 148: Spectrum CCIR 493-4</i>	<i>204</i>
<i>Picture 149: Sonagram of a CCIR 493-4 SELCALL</i>	<i>205</i>
<i>Picture 150: CHN ARQ modem spectrum and sonagram.....</i>	<i>205</i>
<i>Picture 151: CHN ARQ modem phase spectrum</i>	<i>206</i>
<i>Picture 152: CHN ARQ modem phase constellation.....</i>	<i>206</i>
<i>Picture 153: CHN ARQ modem sonagram.....</i>	<i>207</i>
<i>Picture 154: CHN broadcast jammer spectrum and sonagram</i>	<i>208</i>
<i>Picture 155: Spectrum of CHN MIL 4FSK 500 Hz variant.....</i>	<i>209</i>
<i>Picture 156: Spectrum of CHN MIL 4FSK 400 Hz variant.....</i>	<i>209</i>
<i>Picture 157: Sonagram of CHN MIL 4FSK 500 Hz variant.....</i>	<i>209</i>
<i>Picture 158: Spectrum of a CHN MIL 8FSK 83.6 Bd</i>	<i>210</i>
<i>Picture 159: Sonagram of CHN MIL 8FSK 83.6 Bd.....</i>	<i>210</i>
<i>Picture 160: Spectrum of CHN MIL 8FSK 100 Bd</i>	<i>211</i>
<i>Picture 161: Sonagram of CHN MIL 8FSK 100 Bd.....</i>	<i>211</i>
<i>Picture 162: Sonagram of a CHN MIL 8PSK modem with 1627 Bd</i>	<i>212</i>
<i>Picture 163: Constellation display of a CHN MIL 8PSK modem.....</i>	<i>212</i>
<i>Picture 164: Measurement of symbol rate for the CHN MIL 8PSK modem</i>	<i>213</i>
<i>Picture 165: Spectrum of CHN 8PSK modem 2400 bd.....</i>	<i>213</i>
<i>Picture 166: Sonagram of a CHN 8PSK modem 2400 bd</i>	<i>214</i>
<i>Picture 167: Phase constellation of a CHN 8PSK modem 2400 Bd.....</i>	<i>214</i>
<i>Picture 168: Spectrum of the CHN 64FSK.....</i>	<i>215</i>
<i>Picture 169: Zoomed spectrum of the CHN 64FSK</i>	<i>215</i>
<i>Picture 170: Sonagram of CHN 64 tone MFSK</i>	<i>215</i>
<i>Picture 171: Post sequence of the CHN 64FSK</i>	<i>215</i>

Picture 172: Symbol rates of CHN MIL 64FSK.....	216
Picture 173: Sonagram of the CHN MIL datalink modem with 30 tones.....	217
Picture 174: Constellation diagram of the pre-carrier	217
Picture 175: Constellation diagram of the data carrier.....	217
Picture 176: Spectrum of the CHN MIL datalink 39 tone.....	218
Picture 177: Sonagram of the CHN MIL datalink 39 tone	218
Picture 178: Phase analysis of one precarrier of the CHN MIL datalink 39 tone.....	219
Picture 179: Spectrum CHN hybrid modem 4FSK-OFDM20.....	220
Picture 180: Sonagram CHN hybrid modem 4FSK-OFDM20.....	220
Picture 181: Spectrum of the 19 tone OFDM	221
Picture 182: Preamble of the CHN hybrid modem 8FSK-OFDM19	221
Picture 183: Sonagram of CHN MIL Hybrid modem 8FSK-QPSK.....	222
Picture 184: 8FSK preamble for CHN MIL Hybrid modem	222
Picture 185: PSK preamble for CHN MIL Hybrid modem	223
Picture 186: Spectrum of MFSK 4+4 signal.....	223
Picture 187: Spectrum of a CHIP64 signal.....	224
Picture 188: Phase plane of a CHIP signal.....	224
Picture 189: Phase spectrum of a CHIP 64 signal	225
Picture 190: Phase oscilloscope display of a CHIP 64 signal.....	225
Picture 191: Spectrum of CIS-11	226
Picture 191: ACF of a CIS 11 signal	226
Picture 192: Hell display of a CIS 11 signal.....	226
Picture 192: CIS12/MS5 spectrum with reference tone	227
Picture 193: CIS 12/MS2 spectrum in idle mode	227
Picture 194: CIS 20 spectrum with reference tone	227
Picture 195: CIS 12 14 channel layout	228
Picture 196: CIS 12 ARQ bursts.....	228
Picture 197: Spectrum of CIS 14 with 96 Bd and 1000 Hz shift	229
Picture 198: Auto correlation display of CIS 14 with ACF at 14 bit.....	229
Picture 199: Spectrum of CIS 150 Bd selcall	229
Picture 200: Spectrum of CIS 16x75 Bd	230
Picture 201: Phase plane of one channel	230
Picture 202: Spectrum and sonagram of CIS 16x75 Bd	231
Picture 203: Spectrum of a CIS 36-50 in idle condition.....	232
Picture 204: Message structure of a CIS 36-50, T600.....	232
Picture 205: Spectrum and sonagram of a CIS 40.5/1000 signal	233
Picture 206: Spectrum of CIS 50-17 Baudot FROST2	233
Picture 207: HELL display of CIS 50-17 Baudot FROST2.....	234
Picture 208: Auto correlation function (ACF) of CIS 50-17 Baudot FROST2.....	234
Picture 209: Spectrum of a CIS 50-50 in idle condition.....	234
Picture 210: Oscilloscope display of a CIS 50-50 in idle condition.....	235
Picture 211: Spectrum and sonagram of a CIS 81-29.....	235
Picture 212: Typical spectrum of an 8181 signal with 500 Hz shift.....	236
Picture 213: Spectrum of the 150/300-500Bd signal	236

Picture 214: Sonagram of the 150/300-500 Bd signal	237
Picture 215: Bit pattern of the 150/300_500 Bd signal	237
Picture 216: Spectrum of a CIS 200-1000 signal	238
Picture 217: ACF of a CIS 200-1000.....	238
Picture 213: Hell display of the CIS 200-1000 signal	238
Picture 218: Spectrum of a Bozon signal	239
Picture 219: ACF of a Bozon signal.....	239
Picture 220: Helldisplay of a Bozon signal	240
Picture 221: Spectrum of a CIS 640 Bd MSK.....	240
Picture 222: Phase constellation of a CIS 640 Bd MSK.....	241
Picture 223: Spectrum of the CIS 1200 Bd modem T-230-1A.....	241
Picture 224: Sonagram of the CIS 1200 Bd modem T-230-1A.....	242
Picture 225: Bitdisplay with a typical 511 bit sequence.....	242
Picture 226: Block with 8 times 30 bit sequences	243
Picture 227: Spectrum of a 1280 Bd MSK	243
Picture 228: Phase constellation of a 1280 Bd MSK.....	244
Picture 229: Spectrum of CIS 1280 Bd modem.....	244
Picture 230: Phase Plane of CIS 1280 Bd modem	245
Picture 231: Spectrum of a 2560 Bd MSK	245
Picture 232: Phase constellation of a 2560 Bd MSK.....	246
Picture 233: Spectrum of CIS 3000 Bd 8PSK modem.....	246
Picture 234: Speed measurement of CIS 3000 Bd 8PSK modem	247
Picture 235: 8PSK phase constellation of a CIS 3000 signal.....	247
Picture 236: CIS 3000 bursts calling up a MFSK-68.....	248
Picture 237: Spectrum of a CIS 4FSK with 96 Bd	248
Picture 238: Tones of a CIS 4FSK with 96 Bd	248
Picture 239 : MFSK display of a CIS 4FSK with 96 Bd	249
Picture 240: Spectrum of a CIS 4FSK with 100 Bd and 500 Hz shift	249
Picture 241: MFSK demodulation of a CIS 4FSK with 100 Bd and 500 Hz shift	249
Picture 242: Spectrum of a CIS 4FSK with 4000 Hz channel shift.....	250
Picture 243: Sonagram of a CIS 4FSK with 4000 Hz shift	250
Picture 244: Sonagram of CIS 7FSK 200 Bd	251
Picture 245: Baudrate measurement of the CIS 7FSK 200 Bd	251
Picture 246: Spectrum of a CIS 7FSK 300 Bd	252
Picture 247: Baudrate measurement of a CIS 7FSK 300 Bd	252
Picture 248: Structure of a CIS Akula signal.....	253
Picture 249: Spectrum of CIS Akula 500/1000	253
Picture 250: Sonagram of CIS Akula 500/1000	253
Picture 251: Sonagram of a CIS Akula II.....	254
Picture 252: Phase constellation of a CIS Akula II	254
Picture 253: Spectrum of the CIS Akula 250/500	255
Picture 254: Sonagram of the CIS Akula 250/500.....	255
Picture 255: Sonagram of the CIS Akula BPSK FSK.....	256
Picture 256: Sonagram of a CIS Akula Wideband	256

<i>Picture 257: Spectrum of the BPSK of the CIS Akula Wideband</i>	<i>257</i>
<i>Picture 258: Constellation of one channel of the BPSK of the CIS Akula Wideband.....</i>	<i>257</i>
<i>Picture 258: Spectrum of the CIS ARQ.....</i>	<i>258</i>
<i>Picture 259: Sonagram of the CIS ARQ.....</i>	<i>258</i>
<i>Picture 260: FSK oscilloscope display of the CIS ARQ</i>	<i>258</i>
<i>Picture 261: Spectrum of CIS 1200 Bd modem</i>	<i>259</i>
<i>Picture 262: Spectrum of the CIS Barnaul-T signal</i>	<i>260</i>
<i>Picture 263: Sonogram of the Barnaul-T system.....</i>	<i>260</i>
<i>Picture 264: Spectrum CIS BPSK system</i>	<i>261</i>
<i>Picture 265: Phase spectrum of CIS BPSK.....</i>	<i>261</i>
<i>Picture 266: Sonogram CIS hybrid modem.....</i>	<i>262</i>
<i>Picture 267: Phase spectrum of the CIS hybrid modem</i>	<i>262</i>
<i>Picture 268: One time squaring of the CIS hybrid modem</i>	<i>263</i>
<i>Picture 269: Tone layout of the CIS hybrid modem</i>	<i>263</i>
<i>Picture 270: Measurement of the symbol rate of the CIS hybrid modem</i>	<i>263</i>
<i>Picture 271: CIS MFSK 1 + 12 spectrum.....</i>	<i>264</i>
<i>Picture 272: CIS MFSK 1 + 12 sonogram.....</i>	<i>264</i>
<i>Picture 273: CIS MFSK 1 + 12 analysis display</i>	<i>265</i>
<i>Picture 274: Spectrum of CIS MFSK 1 + 10 + 1.....</i>	<i>265</i>
<i>Picture 275: Symbol rate measurment with frequency analysis display</i>	<i>266</i>
<i>Picture 276: CIS MFSK 1 + 10 + 1 600ms synchronisation</i>	<i>266</i>
<i>Picture 277: CIS MFSK 1 + 10 + 1 1300ms synchronisation</i>	<i>266</i>
<i>Picture 278: Spectrum CIS MFSK 11</i>	<i>267</i>
<i>Picture 279: Sonagram CIS MFSK 11</i>	<i>267</i>
<i>Picture 280: Spectrum CIS MFSK-12.....</i>	<i>268</i>
<i>Picture 281: Frequency analysis of CIS MFSK-12.....</i>	<i>268</i>
<i>Picture 282: Sonagram of CIS MFSK-12.....</i>	<i>269</i>
<i>Picture 283: Symbol rate measurement of a CIS MFSK 12 +1</i>	<i>270</i>
<i>Picture 284. Sonagram of the CIS MFSK 12 + 1</i>	<i>270</i>
<i>Picture 285: Symbol rate measurement of a MFSK-14/XPA2.....</i>	<i>271</i>
<i>Picture 286: Sonogram of CIS MFSK-14.....</i>	<i>271</i>
<i>Picture 284: Spectrum of the CIS MFSK-16.....</i>	<i>272</i>
<i>Picture 284: Sonagram of the CIS MFSK-16 transmission</i>	<i>272</i>
<i>Picture 285: Tone distribution of the CIS MFSK-16.....</i>	<i>273</i>
<i>Picture 287: Symbol rate measurement of a CIS MFSK-14/XPA2 with 10 Bd.....</i>	<i>273</i>
<i>Picture 288: Symbol rate measurement of a CIS MFSK-14/XPA2 with 20 Bd.....</i>	<i>274</i>
<i>Picture 289: Sonogram of CIS MFSK-17.....</i>	<i>274</i>
<i>Picture 290: Spectrum of a CIS MFSK-17 wideband</i>	<i>275</i>
<i>Picture 291: Sonagram of a CIS MFSK-17 wideband</i>	<i>276</i>
<i>Picture 292: Spectrum of MFSK-20.....</i>	<i>276</i>
<i>Picture 293: Sonagram of MFSK-20</i>	<i>277</i>
<i>Picture 294: Spectrum of CROWD 36</i>	<i>278</i>
<i>Picture 295: Crowd 36 in sonagram display.....</i>	<i>278</i>
<i>Picture 296: Spectrum of CROWD 36 selective calling</i>	<i>279</i>

Picture 297: Sonagram of CROWD 36 selective calling.....	279
Picture 298: CIS MFSK64 spectrum	280
Picture 299: 3 and 5 tone symbols of the CIS MFSK64.....	280
Picture 300: CIS MFSK64 with embedded 9000 Bd bursts	281
Picture 301: Phase spectrum of the embedded 9000 Bd 8PSK burst	281
Picture 302: Phase constellation of the embedded 9000 Bd 8PSK burst	282
Picture 303: Spectrum of a CIS MFSK-68.....	282
Picture 304: Timing embedded burst CIS MFSK-68.....	283
Picture 305: CIS MFSK-68 spectrum of embedded PSK burst.....	283
Picture 306: Baudrate measurement of CIS MFSK-68 embedded PSK burst.....	284
Picture 307: Spectrum of a CIS 35 tone OFDM.....	284
Picture 308: Spectrum of a CIS 45 tone OFDM.....	285
Picture 309: Spectrum of a CIS 60 tone OFDM.....	286
Picture 310: Spectrum of a CIS 93 tone OFDM.....	286
Picture 311: Spectrum of CIS 93 tone OFDM shifted by 550 Hz	287
Picture 312: Spectrum of a CIS 112 tone OFDM.....	287
Picture 313: Sonogram of a CIS 121 tone OFDM	287
Picture 314: Spectrum of a CIS 121 tone OFDM.....	288
Picture 315: Spectrum of a CIS 128 tone OFDM.....	288
Picture 316: Spectrum of a CIS 160 tone OFDM.....	289
Picture 317: Sonogram of the MFSK section of a CIS 160 tone OFDM.....	289
Picture 318: Sonogram of the CIS QPSK 2 x 62.5 Bd	289
Picture 319: Spectrum of the CIS QPSK 2 x 62.5 Bd.....	290
Picture 320: Phase spectrum of one channel of a CIS QPSK 2 x 62.5 Bd	290
Picture 321: Spectrum of a CIS VFT 3 Channels 100 bd.....	291
Picture 322: Spectrum of a CIS VFT 3 channels 144 bd	291
Picture 323: Spectrum of the Clansman FSK modem	292
Picture 324: Spectrum of a CLOVER signal.....	292
Picture 325: Sonagram of a CLOVER signal	293
Picture 326: Spectrum of Clover in 8P2A mode	295
Picture 327: Sonagram of a Clover 2500 signal	298
Picture 328: Spectrum of CODAN 16 channel mode	300
Picture 329: CODAN 4 channel mode.....	300
Picture 330: CODAN 8 channel mode.....	301
Picture 331: CODAN 12 channel mode.....	301
Picture 332: Spectrum and sonagram of the CODAN 3212 PSK modem	302
Picture 333: Phase spectrum of the CODAN 3212 PSK modem	302
Picture 334: Phase constellation of the CODAN 3212 PSK modem.....	303
Picture 335: CODAN 3212 PSK modem ACF during the synchronisation phase	303
Picture 336: CODAN 3212 PSK modem ACF during the message phase	303
Picture 337: Spectrum of CODAN chirp selcall	304
Picture 338: Phase and frequency analysis display of a CODAN chirp	304
Picture 339: Spectrum of CODAN Selcall.....	305
Picture 340: Spectrum and sonagram of Contestia 4-250 mode	306

<i>Picture 341: Spectrum and sonagram of Contestia 8-1000 mode</i>	<i>306</i>
<i>Picture 342: Spectrum and sonagram of Contestia 32-1000 mode</i>	<i>307</i>
<i>Picture 343: Example of Coquelet-8 decoding</i>	<i>308</i>
<i>Picture 344: MFSK Coquelet-8 signal.....</i>	<i>308</i>
<i>Picture 345: Spectrum of Coquelet 100 with 16.7 Bd.....</i>	<i>309</i>
<i>Picture 346: Spectrum of Coquelet 13.....</i>	<i>310</i>
<i>Picture 347: Sonagram of a FSK Morse</i>	<i>311</i>
<i>Picture 348: Spectrum of a D AF VFT signal</i>	<i>311</i>
<i>Picture 349: Spectrum of a DGPS signal with 100 Bd.....</i>	<i>312</i>
<i>Picture 350: Spectrum of DominoEX with 4 Bd</i>	<i>317</i>
<i>Picture 351: Spectrum of DominoEX with 11 Bd</i>	<i>318</i>
<i>Picture 352: Spectrum of DominoEX with 22 Bd</i>	<i>318</i>
<i>Picture 353: Spectrum of DPRK FSK in ARQ mode.....</i>	<i>318</i>
<i>Picture 354: Sonagram of DPRK FSK in ARQ mode.....</i>	<i>319</i>
<i>Picture 355: Different sonagram of DPRK FSK in ARQ mode.....</i>	<i>319</i>
<i>Picture 356: ACF of DPRK ARQ with 600 Bd</i>	<i>320</i>
<i>Picture 357: Data packets of a DPRK ARQ with 1200 Bd.....</i>	<i>320</i>
<i>Picture 358: Spectrum of a DPRK ARQ 1200 Bd</i>	<i>321</i>
<i>Picture 359: Spectrum of DPRK FSK 600 FEC</i>	<i>321</i>
<i>Picture 360: Spectrum of a DPRK BPSK modem with 150 Bd</i>	<i>322</i>
<i>Picture 361: Spectrum of a DPRK BPSK modem with 300 Bd</i>	<i>322</i>
<i>Picture 362: Spectrum of a DPRK BPSK modem with 600 Bd</i>	<i>322</i>
<i>Picture 363: Spectrum of a DPRK BPSK modem with 1200 Bd</i>	<i>323</i>
<i>Picture 364: Spectrum of DUP ARQ.....</i>	<i>323</i>
<i>Picture 365: Spectrum of DRM-OFDM.....</i>	<i>326</i>
<i>Picture 366: Framing OFDM.....</i>	<i>328</i>
<i>Picture 367: Spectrum of WinDRM.....</i>	<i>330</i>
<i>Picture 368: Spectrum of a MAHRS signal.....</i>	<i>331</i>
<i>Picture 369: MAHRS framing.....</i>	<i>331</i>
<i>Picture 370: ACF of a MAHRS signal.....</i>	<i>332</i>
<i>Picture 371: Sonagram of a MAHRS signal</i>	<i>332</i>
<i>Picture 372: Spectrum of FARCOS mode</i>	<i>333</i>
<i>Picture 373: Phase spectrum of FARCOS with peaks at 1800 Hz.....</i>	<i>333</i>
<i>Picture 374: Spectrum of EZ-Pix</i>	<i>335</i>
<i>Picture 375: Sonagram of EZ-Pix.....</i>	<i>335</i>
<i>Picture 376: Signal structure of EZ-Pix</i>	<i>335</i>
<i>Picture 377: Spectrum of F7B 195.3 Bd</i>	<i>336</i>
<i>Picture 378: Sonagram of F7B 195.3 Bd.....</i>	<i>336</i>
<i>Picture 379: Spectrum of a FAX transmission.....</i>	<i>337</i>
<i>Picture 380: Typical picture of a FAX transmission</i>	<i>338</i>
<i>Picture 381: FAX 3G sonagram.....</i>	<i>341</i>
<i>Picture 382: FAX 3G format.....</i>	<i>341</i>
<i>Picture 383: FAX 3G procedures.....</i>	<i>342</i>
<i>Picture 384: Spectrum FDMDV.....</i>	<i>344</i>

Picture 385: Spectrum FreeDV 700D.....	346
Picture 386: Spectrum FreeDV 2020.....	346
Picture 387: Spectrum of a FEC-A with 192 Bd	347
Picture 388: Spectrum and waterfall of a FT4 transmission	347
Picture 389: Demodulation of a FT4 transmission	348
Picture 390: Spectrum and waterfall of a FT8 transmission	349
Picture 391: Demodulation of a FT8 signal	349
Picture 392: Spectrum F navy FSK.....	350
Picture 393: ACF of the F navy FSK.....	350
Picture 394: Spectrum of a G-TOR signal with 300 Bd	351
Picture 395: Sonagram of a G-TOR signal.....	352
Picture 396: Spectrum of GW Single Tone Modem.....	353
Picture 397: Phase Plane of GW Single Tone Modem.....	353
Picture 398: Sonagram GW Multi Tone Modem with 30 tones	354
Picture 399: Spectrum of a Globe Wireless OFDM with 12 carriers	354
Picture 400: Spectrum of a Globe Wireless OFDM with 24 carriers	355
Picture 401: Spectrum of a Globe Wireless OFDM with 32 carriers	355
Picture 402: Spectrum of GRC MIL FSK	356
Picture 403: Preamble of the GRC MIL FSK	356
Picture 404: Spectrum of GMDSS-DSC	357
Picture 405: GMDSS DSC technical format for routine call	357
Picture 406: GMDSS DSC transmission with short dot pattern	358
Picture 407: Spectrum of the G MIL FSK 800-850	358
Picture 408: ACF of the G MIL FSK 800-850	359
Picture 409: Bit structure of the G MIL FSK 800-850.....	359
Picture 407: Spectrum of the GWEN signal.....	360
Picture 408: Phase spectrum of the GWEN signal	360
Picture 409: Harris AVS sonogram	361
Picture 410: Spectrum view of a Harris Autolink-I	361
Picture 411: Frequency analysis of a Harris Autolink-I.....	362
Picture 412: Sonogram of a Harris WBALE	362
Picture 413: Spectrum of DSSTV	363
Picture 414: Sonagram of DigiTRX with embedded callsign	364
Picture 415: Matrix Feld Hell.....	364
Picture 416: Spectrum of a typical Feld-Hell signal.....	365
Picture 417: Feld Hell modulation.....	365
Picture 418: Sonagram of a Feld-Hell signal.....	365
Picture 419: Matrix of GL-Hell.....	366
Picture 420: Spectrum of a PSK-Hell signal	366
Picture 421: Phase spectrum of a PSK-Hell signal.....	367
Picture 422: Phase constellation of a PSK-Hell signal.....	367
Picture 423: Spectrum of a FSK-Hell signal	368
Picture 424: Sonagram of a FSK-Hell signal.....	368
Picture 425: Sonagram of the HFDVL73 modem	370

<i>Picture 426: Spectrum of the HFDVL73 modem during idle condition</i>	<i>370</i>
<i>Picture 427: Spectrum of a HFDL signal</i>	<i>370</i>
<i>Picture 428: Sonagram of a HFDL signal with sub-carrier of 1440 Hz.....</i>	<i>371</i>
<i>Picture 429: Framing of HFDL.....</i>	<i>371</i>
<i>Picture 430: Spectrogram HFPager with 1.46 Bd</i>	<i>374</i>
<i>Picture 431: Spectrogram HFPager with 5.85 Bd</i>	<i>375</i>
<i>Picture 432: Spectrogram HFPager with 23.44 Bd</i>	<i>375</i>
<i>Picture 433: Spectrogram HFPager with 46.88 Bd</i>	<i>376</i>
<i>Picture 446: Spectrum of a HF Trading signal with 48000 Bd OQPSK</i>	<i>377</i>
<i>Picture 447: Absolute I/Q constellation of a HF Trading signal with 48 kBd</i>	<i>377</i>
<i>Picture 447: Spectrum of a HF Trading signal in idle mode.....</i>	<i>377</i>
<i>Picture 448: Spectrum of a HF Trading signal with multi channels.....</i>	<i>378</i>
<i>Picture 450: Spectrum of a HF Trading signal in idle mode.....</i>	<i>378</i>
<i>Picture 448: Spectrum of a HF Trading signal in idle mode.....</i>	<i>378</i>
<i>Picture 434: Spectrum of HNG-FEC</i>	<i>379</i>
<i>Picture 435: Autocorrelation of HNG FEC with peaks every 15 bits</i>	<i>379</i>
<i>Picture 436: Typical spectrum of ANNEX 10 with two tone pairs.....</i>	<i>380</i>
<i>Picture 437: Timing of the ICAO SELCAL.....</i>	<i>381</i>
<i>Picture 438: Oscilloscope display of IRA-ARQ.....</i>	<i>381</i>
<i>Picture 439: Spectrum of IRA-ARQ with 600 Bd</i>	<i>382</i>
<i>Picture 440: Spectrum of an IRN Navy 16 x 75 Bd modem</i>	<i>382</i>
<i>Picture 441: IRN N 16 x 75 Bd modem with precarrier.....</i>	<i>383</i>
<i>Picture 442: Phase spectrum of one channel with 75 Bd</i>	<i>383</i>
<i>Picture 443: Spectrum of IRN 207 Bd modem</i>	<i>384</i>
<i>Picture 444: Phase spectrum of IRN 207 Bd signal with peaks at 207 Bd</i>	<i>384</i>
<i>Picture 445: Phase plane of IRN QPSK 207 Bd modem</i>	<i>384</i>
<i>Picture 446: Sonagram of IRN QPSK 207 Bd.....</i>	<i>385</i>
<i>Picture 447: Spectrum of the adaptive IRN N QPSK modem with 414 Bd.....</i>	<i>385</i>
<i>Picture 448: Speed measurement of the adaptive IRN N QPSK modem with 414 Bd</i>	<i>386</i>
<i>Picture 449:Speed measurement of the adaptive IRN N QPSK modem with 828 Bd</i>	<i>386</i>
<i>Picture 450: Spectrum of the adaptive IRN N QPSK modem with 1656 Bd</i>	<i>386</i>
<i>Picture 451: Speed measurement of the adaptive IRN N QPSK modem with 1656 Bd</i>	<i>386</i>
<i>Picture 452: Sonagram of the ISR N hybrid modem.....</i>	<i>387</i>

List of Tables

Table 1: C4FM symbol table	47
Table 2: Bit value for QPSK	54
Table 3: Phase shifts for CQPSK	57
Table 4: Summary Binary Phase Shift Keying	60
Table 5: Summary Quadrature Phase Shift Keying	62
Table 6: Bit values for DQPSK-A	62
Table 7: Bit values for DQPSK-B	63
Table 8: Summary Eight Phase Shift Keying	64
Table 9: Bit values for D8PSK-A	64
Table 10: Bit values for a D8PSK-B	65
Table 11: Bit values for QAM	67
Table 12: Different description for data levels	86
Table 13: Relation between datarate and bit length	89
Table 14: Morse alphabet	101
Table 15: Code table for ITA2, ITA2P and ITA3	105
Table 16: Russian MTK2 alphabet	106
Table 17: Chinese shapes and their translation to numbers	107
Table 18: Code table for CCIR476, HNG-FEC and PICCOLO MK VI alphabetsASCII / CCITT 5	109
Table 19: ASCII table	112
Table 20: CCIR 493 alphabet	114
Table 21: Varicode	115
Table 22: X.25 Packet frame	128
Table 23: Common used transmission modes	139
Table 24: Terms and their description	140
Table 25: Determination of necessary bandwidths for emissions	148
Table 26: Table of waveforms sorted by Baud rate	169
Table 28: Tone layout for ALE400	174
Table 29: Bandwidth and maximum bitrates of ARDOP	186
Table 30: Specification of ARDOP 2	186
Table 31: ARQ-S repetition cycle	190
Table 32: ARQ-SWE repetition cycle	190
Table 33: BR6028 channel frequencies	200
Table 34: BR6029C channel frequencies	202
Table 35: Tone layout for the 500 Hz variant	208
Table 36: Tone layout for the 400 Hz variant	209
Table 37: Tone layout of CHN MIL 8FSK 83.6 Bd	210
Table 38: Tone layout of CHN MIL 8FSK 100 Bd	211
Table 39: Tone layout CHN hybrid modem 4FSK-OFDM20	219
Table 40: Tone layout of the CHN hybrid modem	221
Table 41: Frequencies of the Chinese 4+4 modem	223
Table 42: Tone layout CIS MFSK 1 + 10 + 1	265
Table 43: Tone layout CIS MFSK 11	267

Table 44: Tone layout CIS MFSK-12	268
Table 45: Tone layout CIS MFSK-12 + 1	269
Table 46: Tone layout for CIS MFSK-14	271
Table 47: Tone layout of the CIS MFSK-17	274
Table 48: Crowd 36 control sequences	277
Table 49: Tone layout CIS VFT 3 channels 100 bd	290
Table 50: CLOVER-II tone frequencies	294
Table 51: CLOVER-II modulation modes	294
Table 52: CLOVER 2000 Modulation formats	297
Table 53: Clover 2000 modes and data rates	297
Table 54: Clover 2500 tone frequencies	298
Table 55: Clover 2500 Modulation	299
Table 56: CODAN tone frequencies	299
Table 57: Tone frequencies for CODAN 12 channel mode	301
Table 58: Most common modes of Contestia	305
Table 59: Coquelet tone frequencies	308
Table 60: Coquelet tone frequencies	309
Table 61: Frequencies used by Coquelet	310
Table 62: Data structure of DGPS	312
Table 63: PRC Message Broadcast Parameters	314
Table 64: DominoEX waveforms	317
Table 65: Controll codes DUP-ARQ	324
Table 66: DRM OFDM parameter	326
Table 67: DRM OFDM number of carriers	327
Table 68: Number of carrier for WinDRM	330
Table 69: Data rates of WinDRM	330
Table 70: Abbreviations in FAX transmissions	339
Table 71: Geographical letter groups	340
Table 72: FreeDV modes	345
Table 73: ID's of Globe Wireless coast stations	352
Table 74: HFDL Groundstation sorted by ID	373
Table 75: Used HFDL frequencies sorted by ID	373
Table 76: Modes of HF Pager	374
Table 77: Annex 10 Audio frequencies	380
Table 78: Abbreviations	396

